

L Number	Hits	Search Text	DB	Time stamp
1	40441	updat\$4 adj2 (data or video)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 07:06
2	523	((updat\$4 adj2 (data or video)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 07:06
3	8837	725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 08:34
4	264	((updat\$4 adj2 (data or video)) and 725/\$.ccls.) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 07:06
5	36	725/\$.ccls. and (updat\$4 with (night or off\$1peak or (off adj peak) or (low adj (usag\$4 or demand))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 08:22
6	54	725/\$.ccls. and (download\$4 with (night or off\$1peak or (off adj peak) or (low adj (usag\$4 or demand))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 08:06
13	19	725/\$.ccls. and (updat\$4 with ((power or turn) adj (up or on)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 10:41
14	19	725/\$.ccls. and ((dedicated or separate) with (path or channel or stream) with (updat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 08:33
15	10490	(off\$1line or (off adj line)) with (decod\$4 or process\$4 or decompress\$4 or compress\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 08:34
16	92	725/\$.ccls. and ((off\$1line or (off adj line)) with (decod\$4 or process\$4 or decompress\$4 or compress\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 08:43
17	84	725/\$.ccls. and ((broadcast\$4 or transmi\$6 or download\$4) with only with updat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 08:43
31	263	725/\$.ccls. and (updat\$4 with data) and (full with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 10:01

32	2	725/\$.ccls. and (updat\$4 with data) and (full with data with (separat\$4 or occassion\$6 or infrequent\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 10:01
33	13	725/\$.ccls. and (download\$4 with ((power or turn) adj (up or on)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 10:10
34	134	725/\$.ccls. and (download\$4 with initial\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 10:17
36	79	725/\$.ccls. and ((equipment or (set adj top) or receiver) with new with (download\$4 or updat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 10:30
37	12	off\$1line adj decod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 10:31
38	63	725/\$.ccls. and (initial\$6 with ((power or turn) adj (up or on)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 10:41
49	22665	processor with cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 12:49
50	1052	(processor with cache) with (benefit\$2 or advantag\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 12:50
-	1839	hendricks.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 11:35
-	26	hendricks.in. and "advanced set top terminal"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 13:12
-	191	725/\$.ccls. and (teletext with video)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 13:14
-	2291	725/\$.ccls. and (additional with (data or video))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 13:14

-	1	725/\$.ccls. and ((additional with (data or video)) with (off\$1peak or (off adj peak)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:33
-	63	725/\$.ccls. and ((additional with (data or video)) with (VBI))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:33
-	111	725/\$.ccls. and ((extract\$4 with (data or video)) with (VBI))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:31
-	470	725/\$.ccls. and ((additional with (data or video)) with (stor\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:34
-	211	725/\$.ccls. and ((additional with video) with (stor\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:56
-	607	725/\$.ccls. and ((advertis\$6) with (stor\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:58
-	95	((advertis\$6) with (stor\$4)) with (set\$1top or (set adj top))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:59
-	8799	725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:59
-	57	((advertis\$6) with (stor\$4)) with (set\$1top or (set adj top))) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:04
-	25908	(display\$4) with stor\$4 with video	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:04
-	1124	((display\$4) with stor\$4 with video) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:04
-	1211	(display\$4) adj3 stor\$4 adj3 video	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:04

-	54	((display\$4) adj3 stor\$4 adj3 video) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:11
-	423	teletext adj3 video	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:11
-	39	(teletext adj3 video) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:23
-	2	("4890321").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:16
-	2	("5327554").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:20
-	5	auxillary adj3 video	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:21
-	11	auxillary with video	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:21
-	31	auxillary with information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:22
-	2	(auxillary with information) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:22
-	106	725/41.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:28
-	1320	preview with stor\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:28
-	0	video adj2 over adj2 VBI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 16:45

-	172	video adj2 VBI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 16:45
-	70	(video adj2 VBI) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 16:45
-	138	(preview with stor\$4) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 17:05
-	541	stor\$4 with recommend\$6 with (preview or video or program\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 17:09
-	58	(stor\$4 with recommend\$6 with (preview or video or program\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 17:06
-	2575	stor\$4 with profil\$4 with (preview or video or program\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 17:10
-	205	(stor\$4 with profil\$4 with (preview or video or program\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 17:09
-	34939	stor\$4 with (auxillary or additional) with (video or data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 17:10
-	16398	stor\$4 with (auxillary or additional) adj2 (video or data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 18:38
-	383	(stor\$4 with (auxillary or additional) adj2 (video or data or information)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 17:10
-	9	(off\$1peak or (off adj peak)) with video with (transmi\$6 or stor\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 17:50
-	2	("6571392").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 17:52

-	2	("6177931").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 17:55
-	2	("6698020").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 17:55
-	2108	stor\$4 with (auxiliary) adj2 (video or data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 18:38
-	53	(stor\$4 with (auxiliary) adj2 (video or data or information)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 18:38
-	9784	process\$4 with (low\$1usage or (low adj usage) or off\$1line or (off adj line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 12:22
-	69	(process\$4 with (low\$1usage or (low adj usage) or off\$1line or (off adj line))) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:39
-	49	process\$4 with (low\$1usage or (low adj usage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 12:28
-	729	(batch adj processing) with (benefit\$4 or advantag\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:40
-	0	((batch adj processing) with (benefit\$4 or advantag\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:40
-	13	(batch adj processing) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:40
-	8	"ROM data transmitted"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 11:36
-	2	("5724103").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 11:38

-	1679	supplemental adj (video or information or content)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 11:43
-	121	(supplemental adj (video or information or content)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 14:28
-	77	prestor\$4 with (additional or alternative or auxiliary or auxillary or supplemental) with (video or information or content)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 12:04
-	850	(previously) with (stor\$4 or transmit\$6) with (additional or alternative or auxiliary or auxillary or supplemental) with (video or information or content)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 12:05
-	331	(previously) with (receiv\$4) with (additional or alternative or auxiliary or auxillary or supplemental) with (video or information or content)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 12:05
-	8825	725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 12:05
-	35	725/\$.ccls. and ((previously) with (stor\$4 or transmit\$6) with (additional or alternative or auxiliary or auxillary or supplemental) with (video or information or content))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 12:06
-	24	725/\$.ccls. and ((previously) with (receiv\$4) with (additional or alternative or auxiliary or auxillary or supplemental) with (video or information or content))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 12:10
-	3604	((low adj usage) or (power adj (down or off))) with (process\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 14:33
-	12	off\$1line adj decod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 15:03
-	36	((((low adj usage) or (power adj (down or off))) with (process\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 17:17
-	13428	(stand\$1by or (stand adj by)) with (process\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 14:33

-	73	((stand\$1by or (stand adj by)) with (process\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 17:21
-	32590	alternat\$4 with compress\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 15:12
-	119	(alternat\$4 with compress\$4) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 15:26
-	0	offline adj decompress\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 15:27
-	1923	decompress\$4 adj video	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 15:48
-	272	(decompress\$4 adj video) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 15:49
-	329	(decompress\$4 adj video) with stor\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 15:49
-	21	((decompress\$4 adj video) with stor\$4) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 17:10
-	2	("5966120").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 17:10
-	2139	decrypt\$6 with (purpose or benefit\$1 or advant\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 17:20
-	35	(decrypt\$6 with (purpose or benefit\$1 or advant\$6)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 17:20
-	377	decrypt\$6 with (reason\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 17:21

-	5	(decrypt\$6 with (reason\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 17:20
-	5044	decrypt\$6 with (securit\$4 or protect\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 17:31
-	137	(decrypt\$6 with (securit\$4 or protect\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 17:31
-	2488	decrypt\$6 with (securit\$4 or protect\$4) with key\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 17:31
-	59	(decrypt\$6 with (securit\$4 or protect\$4) with key\$1) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 18:06
-	309	725/32.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 18:06
-	50	725/33.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 18:06
-	194	725/34.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 18:06
-	139	725/35.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 18:06
-	117	725/36.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 18:07
-	193	725/40.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 18:33
-	89347	semiconductor adj memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 18:33

-	9184	(semiconductor adj memory) with (benefit\$2 or advantag\$4 or improv\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 18:46
-	232	(semiconductor adj memory) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 18:46
-	7892	(semiconductor adj memory) with (speed or fast\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 18:46
-	15	((semiconductor adj memory) with (speed or fast\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 18:58
-	356966	(memor\$4 or stor\$4) with (external\$4 or separat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 18:58
-	39784	((memor\$4 or stor\$4) with (external\$4 or separat\$4)) with receiv\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 18:59
-	517	((((memor\$4 or stor\$4) with (external\$4 or separat\$4)) with receiv\$4) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 18:59
-	8825	725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 09:33
-	2	((process\$4) with (low\$4 adj demand\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 09:24
-	169	(process\$4) with (low\$4 adj demand\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 09:33
-	0	725/\$.ccls. and ((process\$4) with (low\$4 adj activit\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 09:33
-	680	(process\$4) with (low\$4 adj activit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 09:34

-	70	(process\$4) with (during or while) with (low\$4 adj activit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 09:34
-	246	((((memor\$4 or stor\$4) with (external\$4 or separat\$4))) with "1394"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 09:49
-	52	((((memor\$4 or stor\$4) with (external\$4 or separat\$4)) with receiv\$4) with "1394"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 09:50
-	194	(((((memor\$4 or stor\$4) with (external\$4 or separat\$4))) with "1394") not (((((memor\$4 or stor\$4) with (external\$4 or separat\$4)) with receiv\$4) with "1394"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 10:55